PTO-1449

Atty. Docket No.

NTI-703CIP3

Serial No.

10/618816

Applicant

PANG, Linyong

Filing Date

Group

7/11/03

2825

EXAMINER'S INITIALS	PATENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE
1/5	4,812,962	3/14/1989	Witt	364	490	4/9/1987
1	5,051,598	9/24/1991	Ashton, et al.	250	492.2	9/12/1990
	5,182,718	1/26/1993	Harafuji, et al.	364	490	3/29/1990
-	5,241,185	8/31/1993	Meiri, et al.	250	492.2	1/8/1992
	5,242,770	9/7/1993	Chen, et al.	430	5	1/16/1992
	5,256,505	10/26/1993	Chen, et al.	430	5	8/21/1992
	5,282,140	1/25/1994	Tazawa, et al.	364	468	6/24/1992
	5,316,878	5/31/1994	Saito, et al.	430	5	6/4/1992
	5,326,659	7/5/1994	Liu, et al.	430	5	3/5/1992
	5,340,700	8/23/1994	Chen, et al.	430	312	11/3/1993
	5,424,154	6/13/1995	Borodovsky	430	5	12/10/1993
	5,432,714	7/11/1995	Chung, et al.	364	525	9/2/1994
	5,447,810	9/5/1995	Chen, et al.	430	5	2/9/1994
	5,532,090	7/2/1996	Borodovsky	430	5	3/1/1995
	5,533,148	7/2/1996	Sayah, et al.	382	240	9/30/1993
	5,538,815	7/23/1996	Oi, et al.	430	5	9/14/1993
	5,553,273	9/3/1996	Liebmann	395	500	4/17/1995
	5,553,274	9/3/1996	Liebmann	395	500	6/6/1995
	5,572,598	11/5/1996	Wihl, et al.	382	144	2/25/1994
	5,631,110	5/20/1997	Shioiri, et al.	430	5	6/5/1995
	5,657,235	8/12/1997	Liebmann, et al.	. 364	474.24	5/3/1995
	5,663,017	9/2/1997	Schinella, et al.	430	5	6/7/1995
175	5,663,893	9/2/1997	Wampler, et al.	364	491	5/3/1995

EXAMINER: VUTHE SUSP

Date Considered:

5/5/05

PTO-1449

Atty. Docket No.

NTI-703CIP3

Applicant

PANG, Linyong

Filing Date

Group

2825

Serial No.

U.S. PATENT DOCUMENTS

EXAMINER'S INITIALS	PATENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE
75	5,702,848	12/30/1997	Spence	430	5	8/23/1996
<u> </u>	5,705,301	1/6/1998	Garza, et al.	430	5	2/27/1996
	5,707,765	1/13/1998	Chen	430	5	5/28/1996
	5,740,068	4/14/1998	Liebmann, et al.	364	489	5/30/1996
_	5,795,688	8/18/1998	Burdorf, et al.	430	30	8/14/1996
	5,801,954	9/1/1998	Le, et al.	364	488	4/24/1996
	5,804,340	9/8/1998	Garza, et al.	430	5	12/23/1996
	5,815,685	9/29/1998	Kamon	395	500	9/15/1995
	5,825,647	10/20/1998	Tsudaka	364	167.03	3/12/1996
	5,827,623	10/27/1998	Ishida, et al.	430	5	10/30/1996
	5,847,959	12/8/1998	Veneklasen, et al.	364	468.28	1/28/1997
	5,849,440	12/15/1998	Lucase, et al.	430	. 5	1/29/1997
	5,862,058	1/19/1999	Samuels, et al.	364	491	5/16/1996
	5,863,682	1/26/1999	Abe, et al.	430	30	2/21/1997
	5,879,844	3/9/1999	Yamamoto, et al.	430	30	12/20/1996
	5,900,338	5/4/1999	Garza, et al.	430	5	8/15/1997
	5,923,566	6/13/1999	Galan, et al.	364	489	3/25/1997
	5,972,541	10/26/1999	Sugasawara, et al.	430	5	3/4/1998
	6,009,250	12/28/1999	Ho, et al.	395	500.06	9/30/1997
	6,009,251	12/28/1999	Ho, et al.	395	500.06	9/30/1997
	6,011,911	1/4/2000	Ho, et al.	. 395	500.06	9/30/1997
	6,016,357 -	1/18/2000	Neary, et al.	382	144	6/16/1997
 /<	6,076,465	6/20/2000	Vacca, et al.	101	481	9/19/1997

EXAMINER:	VUTHE SIE	Date Considered:	5/5/05
-----------	-----------	------------------	--------

PTO-1449

Atty. Docket No.

Serial No.

NTI-703CIP3

Applicant

PANG, Linyong

Filing Date

Group

2825

			~
11 C	PATENT	DOCUMENT	•

EXAMINER'S INITIALS	PATENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE
VS	6,077,310	6/20/2000	Yamamoto, et al.	716	19	1/29/1999
1	6,078,738	6/20/2000	Garza, et al.	395	500.22	5/8/1997
	6,081,658	6/27/2000	Rieger, et al.	395	500.22	12/31/1997
-	6,081,659	6/27/2000	Garza, et al.	395	500.22	4/26/1999
	6,130,750	10/10/2000	Ausschnitt, et al.	356	401	8/28/1997
	6,171,731 B1	1/9/2001	Medvedeva, et al.	430	5	1/20/1999
1	6,185,727 B1	2/6/2001	Liebmann	716	19	12/12/1995
+	2002/0019729 A1	2/14/2002	Chang, et al.	703	6	8/7/1998
1/5	2002/0035461 A1	3/21/2002	Chang, et al.	703	13	7/16/2001

EXAMINER:	VUTHE	SEK

Date Considered:

5/5/05

INFORM	MATION DISC CITATION PTO-1449	LOSURE	Atty. Docket No. NTI-703CIP3 Applicant PANG, Linyong Filing Date	Serial Group 282			
		FOI	REIGN PATENT DOCU	MENTS			
EXAMINER'S INITIALS	PATENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSI	NO NO
VS	WO 00/36525 A2	6/22/2000	wo				
	WO 00/67074 A1	11/9/2000	wo				
	WO 00/67075 AN	11/9/2000	wo			0	
	WO 00/67076 A1	11/9/2000	wo				
	EP 0 698 821 A1	2/28/1996	EP				
	WO 97/13370 A1	4/10/1997	wo				
	WO 97/38381 A1	10/16/1997	wo				
	WO 98/20327 A1 V	5/14/1998	wo				
	WO 98/45685 A1	10/15/1998	wo				
1/5	WO 99/14706 A2/A3	3/25/1999	wo				

EXAMINER:	VUTHE SIEK	Date Considered:	5/5/05
-----------	------------	------------------	--------

PTO-1449

Atty. Docket No.

Serial No.

NTI-703CIP3

Applicant

PANG, Linyong

Filing Date

Group

2825

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
EXAMINER'S INITIALS	CITATION
1/5	Lithas, "Lithas: Optical Proximity Correction Software" (2 pages).
	Microunity, "OPC Technology & Product Description", MicroUnity Systems Engineering, Inc., pp. 1-5.
	Precim, "Proxima System", Precim Company, Portland, Oregon (2 pages).
	Precim, "Proxima Wafer Proximity Correction System", Precim Company, Portland, Oregon (2 pages).
	Rieger, M., et al., "Mask Fabrication Rules for Proximity-Corrected Patterns", Precim Company, Portland, Oregon (10 pages).
	Rieger, M., et al., "Using Behavior Modeling for Proximity Correction", Precim Company, Portland, Oregon (6 pages).
	Spence, C., et al., "Detection of 60(degree) Phase Defects on Alternating PSMs", Advanced Micro Devices, KLA-Tencor, DuPont RTC (2 pages).
	Stirmiman, J., et al., "Spatial Filter Models to Describe IC Lithographic Behavior", Precim Corporation, Portland, Oregon (10 pages).
	Sugawara, M., et al., "Defect Printability Study of Attenuated Phase-Shifting Masks for Specifying Inspection Sensitivity", Sony Corporation, Kanagawa, Japan (16 pages).
-	Cobb, et al., "Fast Sparse Aerial Image Calculation for OPC", SPIE, Vol. 2621, pp. 534-544, September 20-22, 1995.
	Ogawa, K., et al., "Phase Defect Inspection by Differential Interference", Lasertec Corporation (12 pages).
	Kang, D., et al., "Effects of Mask Bias on t he Mask Error Enhancement Factor (MEEF) of Contact Holes" (11 pages).
	Socha, R., et al., "Printability of Phase-Shift Defects Using a Perturbational Model", Univ. of California Berkeley, Sematech (11 pages).
1/5	Adam, K., et al., "Simplified Models for Edge Transitions in Rigorous Mask Modeling", University of California Berkeley (40 pages).

EXAMINER:	Vu:	THE	SKE	
				_

Date Considered:

5/5/05

PTO-1449

Atty. Docket No.

Serial No.

NTI-703CIP3

Applicant

PANG, Linyong

Filing Date

Group

2825

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
EXAMINER'S INITIALS	CITATION
VS	Gordon, R., et al., "Mask Topography Simulation for EUV Lithography", FINLE Technologies Inc. (15 pages).
	Pistor, T., "Rigorous 3D Simulation of Phase Defects in Alternating Phase-Shifting Masks", Panoramic Technology Inc. (13 pages).
	Semmier, A., et al., "Application of 3D EMF Simulation for Development and Optimization of Alternating Phase Shifting Masks", Infineon Technologies AG (12 pages).
	Wong, A., et al., "Polarization Effects in Mask Transmission", University of California Berkeley (8 pages).
	Erdmann, A., "Topography Effects and Wave Aberrations in Advanced PSM-Technology", Fraunhofer Institute of Integrated Circuits (11 pages).
	Fickowsky, P., "The End of Thresholds: Subwavelength Optical Linewidth Measurement Using the Flux-Area Technique", Automated Visual Inspection (6 pages).
	Nguyen, K., et al., "Printability of Substrate and Absorber Defects on Extreme Ultraviolet Lithographic Masks", Sandia National Labs, AT&T Bell Labs (18 pages).
	Neureuther, A., et al., "Modeling Defect-Feature Interactions in the Presence of Aberrations", University of California Berkeley (10 pages).
	Casey, Jr., J.D., et al., "Chemically Enhanced FIB Repair of Opaque Defects on Molybdenum Silicide Photomasks", SPIE, Vol. 3236, pp. 487-497 (1997).
	Trans Vector, "Now Better Quality Photomasks", Trans Vector Technologies, Inc., Camarillo, California (4 pages).
	Mathur, B.P., et al., "Quantitative Evaluation of Shape of Image on Photoresist of Square Apertures", IEEE, Transactions On Electron Devices, Vol. 35, No. 3, pp. 294-297, March 1988.
	Jinbo, H., et al., "0.2um or Less i-Line Lithography by Phase-Shifting-Mask Technology", IEEE, pp. 33.3.1-33.3.4 (1990).
1	Neureuther, A., "Modeling Phase Shifting Masks", SPIE, 10th Annual Symposium On Microlithography, Vol. 1496, pp. 80-85 (1990).
V9	Henke, W., et al., "A Study of Reticle Defects Imaged Into Three-Dimensional Developed Profiles of Positive Photoresist Using the Solid Lithography Simulator", Microelectronics Eng., Vol. 14, pp. 283-297 (1991).

EXAMINER: VUTHE SEE

Date Considered:

5/5/05

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP § 609; draw time through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

PTO-1449

Atty. Docket No.

Serial No.

NTI-703CIP3

Applicant

PANG, Linyong

Filing Date

Group

2825

•	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)						
EXAMINER'S INITIALS	CITATION						
15	Jinbo, H., et al., "Improvement of Phase-Shifter Edge Line Mask Method", Japanese Journal Of Applied Physics, Vol. 30, No. 11B, pp. 2998-3003, November 1991.						
	Kimura, T., et al., "Subhalf-Micron Gate GaAs Mesfet Process Using Phase-Shifting-Mask Technology", IEEE, GaAs IC Symposium, pp. 281-284 (1991).						
	Wiley, J., et al., "Phase Shift Mask Pattern Accuracy Requirements and Inspection Technology", SPIE, Integrated Circuit Metrology, Inspection, And Process Control V, Vol. 1464, pp. 346-355 (1991).						
	Fu, C.C., et al., "Enhancement of Lithographic Patterns by Using Serif Features", IEEE, Transactions On Electron Devices, Vol. 38, No. 12, pp. 2599-2603, December 1991.						
	Watanabe, H., et al., "Detection and Printability of Shifter Defects in Phase-Shifting Masks", Japanese Journal of Applied Physics, Vol. 30, No. 11B, pp. 3016-3020, November 1991.						
	Ham, Y.M., et al., "Dependence of Defects in Optical Lithography", Jpn. J. Appl. Phys., Vol. 31, pp. 4137-4142 (1992).						
	Jinbo, H., et al., "Application of Blind Method to Phase-Shifting Lithography", IEEE, 1992 Symposium On VLSI Technology Digest Of Technical Papers, pp. 112-113 (1992).						
	Ohtsuka, H., et al., "Phase Defect Repair Method for Alternating Phase Shift Masks Conjugate Twin-Shifter Method", Jpn. J. Appl. Phys., Vol. 31, pp. 4143-4149 (1992).						
	Watanabe, H., et al., "Detection and Printability of Shifter Defects in Phase-Shifting Masks II Defocus Characteristics", Jpn. J. Appl. Phys., Vol. 31, pp. 4155-4160 (1992).						
	Crisalle, O., et al., "A Comparison of the Optical Projection Lithography Simulators in SAMPLE and PROLITH", IEEE, Transactions On Semiconductor Manufacturing, Vol. 5, No. 1, pp. 14-26, February 1992.						
	Rothschild, M., et al., "Photolithography at 193nm", J. Vac. Sci. Technol. B, Vol. 10, No. 6, pp. 2989-2996, November/December 1992.						
	Hosono, K., et al., "A Novel Architecture for High Speed Dual Image Generation of Pattern Data for Phase Shifting Reticle Inspection", SPIE - Integrated Circuit Metrology, Inspection, and Process Control VI, Vol. 1673, pp. 229-235 (1992).						
1	Lin, B.J., et al., "Single-Level Electric Testsites for Phase-Shifting Masks", SPIE, Vol. 1673, pp. 221-228, March 9-11, 1992.						
1/5	Brunner, T., "Rim Phase-Shift Mask Combined with Off-Axis Illumination: A Path to 0.5(lampda) / Numerical Aperture Geometries", Optical Engineering, Vol. 32, No. 10, pp. 2337-2343, October 1993.						

WILLIAM VOLTAR VIOLE	EXAMINER:	VUTHE	S15k
----------------------	-----------	-------	------

Date Considered:

5/5/05

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP § 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

PTO-1449

Atty. Docket No.

Serial No.

NTI-703CIP3

Applicant

PANG, Linyong

Filing Date

Group

2825

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
XAMINER'S INITIALS	CITATION
VS	Nistler, J., et al., "Phase Shift Mask Defect Printability Analysis", Proceedings Of The Microlithography Seminar INTERFACE '93, OCG Microelectronic Materials, Inc., pp. 11-28 (1993).
	Rieger, M., et al., "System for Lithography Proximity Compensation", Precim Company, Portland, Oregon, September 1993 (28 pages).
	Wiley, J., et al., "Device Yield and Reliability by Specification of Mask Defects", Solid State Technology, Vol. 36, No. 7, pp. 65-66, 70, 72, 74, 77, July 1993.
	Ohtsuka, H., et al., "Evaluation of Repair Phase and Size Tolerance for a Phase-Shift Mask", J. Vac. Sci. Technol. B, Vol. 11, No. 6, pp. 2665-2668, November/December 1993.
	Nistler, J., et al., "Large Area Optical Design Rule Checker for Logic PSM Application", SPIE, Photomask And X-Ray Mask Technology, Vol. 2254, pp. 78-92 (1994).
	Pati, Y.C., et al., "Phase-Shifting Masks for Microlithography: Automated Design and Mask Requirements", J. Opt. Soc. Am., Vol. 11, No. 9, pp. 2438-2452, September 1994.
-	Spence, C., et al., "Automated Determination of CAD Layout Failures Through Focus: Experiment and Simulation", SPIE, Vol. 2197, pp. 302-313 (1994).
	Stirniman, J., et al., "Fast Proximity Correction with Zone Sampling", SPIE, Vol. 2197, pp. 294-301 (1994).
	Stirniman, J., et al., "Optimizing Proximity Correction for Wafer Fabrication Processes", SPIE, Photomask Technology And Management, Vol. 2322, pp. 239-246 (1994).
	Stirniman, J., et al., "Wafer Proximity Correction and Its Impact on Mask-Making", Bacus News, Vol. 10, Issue 1, pp. 1, 3-7, 10-12, January 1994.
	Qian, Q.D., et al., "A New Scalar Planewave Model for High NA Lithography Simulations", IEEE, pp. 45-48 (1994).
	Barouch, E., et al., "OPTIMASK: An OPC Algorithm for Chrome and Phase-Shift Mask Design", SPIE, Vo. 2440, pp. 192-206, February 1995.
1	Karklin, L., "A Comprehensive Simulation Study of the Photomask Defects Printability", SPIE, Vol. 2621, pp. 490-504 (1995)
V4	Wiley, J., et al., "The Effect of Off-Axis Illumination on the Printability of Opaque and Transparent Reticle Defects", SPIE, Vol. 2512, pp. 432-440 (1995).

EXAMINER: /UTHE SIEF

Date Considered:

575/05

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP § 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

PTO-1449

Atty. Docket No.

Serial No.

NTI-703CIP3

Applicant

PANG, Linyong

Filing Date

Group

2825

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
XAMINER'S INITIALS	CITATION
V5	Reynolds, J., "Elusive Mask Defects: Reflectivity Variations", Solid State Technology, pp. 75-76, March 1995.
	Brunner, T., et al., "Approximate Models for Resist Processing Effects", SPIE, Vol. 2726, pp. 198-207, March 1996.
	Rieger, M., et al., "Customizing Proximity Correction for Process-Specific Objectives", SPIE, Vol. 2726, pp. 651-659 (1996).
	Yen, A., et al., "Characterization and Correction of Optical Proximity Effects in Deep-Ultraviolet Lithography Using Behavior Modeling", J. Vac. Sci. Technol. B, Vol. 14, No. 6, pp. 4175-4178, November/December 1996.
	Kusumose, H., et al., "Direct Phase-Shift Measurement with Transmitted Deep-UV Illumination", SPIE, Vol. 2793, pp. 251-260 (1996).
	Chang, K., et al., "Accurate Modeling of Deep Submicron Interconnect Technology", TMA Times, Vol. IX, No. 3 (1997).
	Gans, F., et al., "Printability and Repair Techniques for DUV Photomasks", SPIE, Proceedings Of The 17th Annual Symposium On Photomask Technology And Management, Vol. 3236, pp. 136-141 (1997).
	Ibsen, K., et al., "Clear Field Reticle Defect Diposition for Advanced Sub-Half Micron Lithography", SPIE, Proceedings Of The 17th Annual Symposium On Photomask Technology And Management, Vol. 3236, pp. 124-135 (1997).
	Ishiwata, N., et al., "Novel Alternating Phase Shift Mask with Improved Phase Accuracy", SPIE, Proceedings Of The 17th Annual Symposium On Photomask Technology And Management, Vol. 3236, pp. 243-249 (1997).
	Morimoto, H., et al., "Next Generation Mask Strategy - Technologies are Ready for Mass Production of 256MDRAM?", SPIE, Vol. 3236, pp. 188-189 (1997).
	Park, C., et al., "An Automatic Gate CD Control for a Full Chip Scale SRAM Device", SPIE, Vol. 3236, pp. 350-357 (1997).
	Pati, Y.C., et al., "Exploiting Structure in Fast Aerial Image Computation for Integrated Circuit Patterns", IEEE Transactions On Semiconductor Manufacturing, Vol. 10, No. 1, pp. 62-74, February 1997.
1	Roman, B., et al., "Implications of Device Processing on Photomask CD Requirements", SPIE, Vol. 3236 (1997) (Abstract Only).
1/5	Vacca, A., et al., "100nm Defect Detection Using a Dynamically Programmable Image Processing Algorithm", SPIE, Vol. 3236 (1997) (Abstract Only).

EXAMINER:	V11-	THE	S	181	_
	_				

Date Considered:

575/05

PTO-1449

Atty. Docket No.

Serial No.

NTI-703CIP3

Applicant

PANG, Linyong

Filing Date

Group

2825

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
EXAMINER'S INITIALS	CITATION
15	Ausschnitt, C., et al., "Advanced DUV Photolithography in a Pilot Line Environment", IBM J. Res. Develop., Vol. 41, No. 1/2, pp. 21-37, January/March 1997.
	Brunner, T., "Impact of Lens Aberrations on Optical Lithography", IBM J. Res. Develop., Vol. 41, No. 1/2, pp. 57-67, January/March 1997.
	Hawryluk, A., et al., "EUV Lithography", Miicrolithography World, pp. 17-18 & 20-21, Summer 1997.
	Holmes, S., et al., "Manufacturing with DUV Lithography", IBM J. Res. Develop., Vol. 41, No. 1/2, pp. 7-19, January/March 1997.
	Rothschild, M., et al., "Lithography at a Wavelength of 193nm", IBM J. Res. Develop., Vol. 41, No. 1/2, pp. 49-55, January/March 1997.
	Tsujimoto, E., et al., "Hierarchical Mask Data Design System (PROPHET) for Aerial Image Simulation, Automatic Phase-Shifter Placement, and Subpeak Overlap Checking", SPIE, Vol. 3096, pp. 163-172 (1997).
	Schoenmaker, W., et al., "Theory and Implementation of a New Interpolation Method Based on Random Sampling", IMEC Technology Paper, pp. 1-35, 31 January 1997.
	Kubota, H., et al., "A Fast Method of Simulating Resist Pattern Contours Based on Mean Inhibitor Concentration", Jpn. J. Appl. Phys., Vol. 37, pp. 5815-5820 (1998).
	Vacca, A., et al., "100nm Defect Detection Using an Existing Image Acquisition System", SPIE, Vol. 3236, pp. 208-21 (1998).
	Fukuda, H., et al., "Determination of High-Order Lens Aberration Using Phase/Amplitude Linear Algebra", J. Vac. Sci. Technol. B, Vol. 17, No. 6, pp. 3318-3321, November/December 1999.
	Fukuda, H., "Node-Connection/Quantum Phase-Shifting Mask: Path to Below 0.3um Pitch, Proximity Effect Free, Random Interconnects and Memory Patterning", J. Vac. Sci. Technol. B, Vol. 17, No. 6, pp. 3291-3295, November/December 1999.
	Balasinski, A., et al., "A Novel Approach to Simulate the Effect of Optical Proximity on MOSFET Parametric Yield", IEEE, pp. 37.6.1-37.6.4 (1999).
V5	Balasinski, A., et al., "Comparison of Mask Writing Tools and Mask Simulations for 0.16um Devices", IEEE, SEMI Advanced Semiconductor Manufacturing Conference, pp. 372-377 (1999).

EXAMINER:	VUTHE	SIEK	Date Considered:	575/05	
_					

PTO/SB/08A (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the	Paperwork	k Reduct	ION AG				re required to respoi	id to a collection t	inionnauon unes	IS IT CONTAINS & VALID CIVID C	AIGOI IIGIII
		14404	mm^	E.	, gt	$/_{A}$	pplication Num	ber	10/618,816		
Substitute	<u>L</u>						Filing Date		7/11/2003		
INFORMATION DISCLOSURE STATEMENT BY APPLICANT						Fi	First Named Inventor:		Linyong Pang		
(Use d	as many	sheei	s as	necess	ary)	E	kaminer: Unkn	own	GROUP: 28	25	
Sheet	1		of		1	A	Attorney Docket Number NTI-703-1F		NTI-703-1P	1P	
					U.	S. P	ATENT DOC	UMENTS			
Examiner Initials*	Cited No. 1	Numl	Docum ber - K	ent Num Lind Cod		P	ublication Date IM-DD-YYYY	Name of	Patentee or Cited Document	Pages, Columns, Lir Where Relevant Passag Figures Appear	
(/5	A01	US-5	,504,3	335			04/02/1996	Maarschalker	rweerd		
	A02	US-6	,023,	565			02/08/2000	Lawman et al.			
	A03	US-6	,091,8	845			07/18/2000	Pierrat et al.			
	A04	US-6	,272,2	236	B1		08/07/2001	Pierrat et al.			
VS	A05 US-6,322,935 B1			11/27/2001	Smith						
·											
					FOF	ŒIC	SN PATENT DO	CUMENTS			
Examiner Initials*		•		t Docum mber⁴ Kir	ent nd Code ^{5 (fla}	aden)	Publication Date MM-DD- YYYY	Applican	Patentee or t of Cited iment	Pages, Columns, Lines Where Relevant Passages or Figures Appear	Té
!											
										· · · · · · · · · · · · · · · · · · ·	
								L			
	γ	ОТ	HER	DOCU	MENTS	(Inc	luding Author,	Title Date, Po	ertinent Pages,	Etc.)	
		· .						_			
								· · · · ·			
EVAMINI	ED SIGN	ATT ID	E.1/	HTA	FS	TE	K	DATE CON	SIDERED: 5	15/05	- 1

EXAMINER SIGNATURE: V V / H C > 16 D DATE CONSIDERED: >) 3 / U3

"EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not/considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.usplo.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Skind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS, SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450. If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2. "EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique ditation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible, 6 Applicant is to place a check mark here if English language Translation is attached.